



A service of the National Library of Medicine
and the National Institutes of Health

My NCBI [?] [\[Sign In\]](#) [\[Register\]](#)

[All Databases](#)

[PubMed](#)

[Nucleotide](#)

[Protein](#)

[Genome](#)

[Structure](#)

[OMIM](#)

[PMC](#)

[Journals](#)

[Books](#)

Search for

☒ Limits ☐ Preview/Index ☐ History ☐ Clipboard ☐ Details

[About Entrez](#)

[Text Version](#)

[Entrez PubMed](#)

[Overview](#)

[Help | FAQ](#)

[Tutorials](#)

[New/Noteworthy](#)

[E-Utilities](#)

[PubMed Services](#)

[Journals Database](#)

[MeSH Database](#)

[Single Citation Matcher](#)

[Batch Citation Matcher](#)

[Clinical Queries](#)

[Special Queries](#)

[LinkOut](#)

[My NCBI](#)

[Related Resources](#)

[Order Documents](#)

[NLM Mobile](#)

[NLM Catalog](#)

[NLM Gateway](#)

[TOXNET](#)

[Consumer Health](#)

[Clinical Alerts](#)

[ClinicalTrials.gov](#)

[PubMed Central](#)

Limits: **only items with links to free full text, only items with links to full text, Publication Date to 2003/11**

Query #1 deleted

- Search History will be lost after eight hours of inactivity.
- Search numbers may not be continuous; all searches are represented.
- To save search indefinitely, click query # and select Save in My NCBI.
- To combine searches use #search, e.g., #2 AND #3 or click query # for more options.

Search	Most Recent Queries	Time	Result
#10	Search (anion exchanger) and (DNA or RNA or nucleic) Limits: only items with links to free full text, only items with links to full text, Publication Date to 2003/11	13:27:32	<u>122</u>
#9	Search (anion exchanger) and (DNA or RNA or nucleic)	13:24:53	<u>333</u>
#8	Search (anion exchanger) and linker	13:24:29	<u>8</u>
#7	Search (anion exchanger)	13:24:24	<u>2548</u>
#6	Search Seligson, David[author]	13:23:49	<u>56</u>

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Apr 30 2007 04:56:27

Google

(anion exchanger) and (DNA or RNA or nucleic)

Search

[Advanced Search](#)
[Preferences](#)Try uppercase "OR" to search for either of two terms. [\[details\]](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 62,500 for (anion exchanger) and (DNA or RNA or nucleic) and bead and linker. (0.1

Enhancing the catalytic repertoire of nucleic acids: a systematic ...

Thus RNA and DNA appear to lack the acid and base functionalities close to This crude mixture was purified by anion exchange chromatography on ...

www.pubmedcentral.nih.gov/articlerender.fcgi?artid=31265 - [Similar pages](#)Construction and selection of bead-bound combinatorial ...

However, aptamers selected from combinatorial RNA and DNA libraries have generally had impurities by anion-exchange chromatography on a Mono Q column. ...

www.pubmedcentral.nih.gov/articlerender.fcgi?artid=137987 - [Similar pages](#)[[More results from www.pubmedcentral.nih.gov](#)][PDF] Enhancing the catalytic repertoire of nucleic acids: a systematic ...

File Format: PDF/Adobe Acrobat

libraries of single-stranded DNA or RNA. The technique has layer was subjected to purification by anion exchange chroma- ...

nar.oxfordjournals.org/cgi/reprint/29/7/1565.pdf - [Similar pages](#)Surface for collection and/or purification of nucleic acids ...

A method according to claim 14, wherein the nucleic acids are DNA or RNA. ... and include "Qiagen" and "Wizard" and other anion exchange based matrices. ...

www.freepatentsonline.com/20040152085.html - 47k - [Cached](#) - [Similar pages](#)Simplified methods for isolating nucleic acids from cellular ...

[0036] Nucleic acid--A polynucleotide can be DNA, RNA or a synthetic DNA Unlike conventional anion-exchange resins containing DEAE and PEI groups, ...

www.freepatentsonline.com/20050106602.html - 67k - [Cached](#) - [Similar pages](#)[[More results from www.freepatentsonline.com](#)][PDF] Peptide nucleic acids on microarrays and other biosensorsFile Format: PDF/Adobe Acrobat - [View as HTML](#)

The hybridization of DNA or RNA targets to PNA-probes cleotide analogs by anion-exchange chromatography at high pH. Anal. Biochem. 235, 239-241 ...

www.dkfz.de/funct_genome/PDF-Files/TrendBiotech-22-2004-617.pdf - [Similar pages](#)Faculty of Biological Sciences | Facilities

These instruments are optimally setup for ion exchange separations. ... phase instruments in service for the custom synthesis of DNA and RNA oligomers. ...

www.fbs.leeds.ac.uk/facilities/facilityInfo.htm?fcode=mi - 17k - [Cached](#) - [Similar pages](#)PLoS Biology - DNA Display I. Sequence-Encoded Routing of DNA ...

The resulting DNA/RNA heteroduplex was treated with sodium hydroxide to hydrolyze and promoting the binding of free DNA to the anion-exchange resin. ...

biology.plosjournals.org/perlserv/?request=get-document&doi=10.1371%2Fjournal.pbio.0020173 - [Similar pages](#)Efficient purification of adenovirus - US Patent 6586226

A significant decrease in the magnitude of the nucleic acid peak eluting after ... Expanded

Bead Adsorption anion exchange pre-column (Pharmacia, Uppsala, ...

www.patentstorm.us/patents/6586226-description.html - 52k - [Cached](#) - [Similar pages](#)

Google

(anion exchanger) and (DNA or RNA or nucleic acid)

Search

Advanced Search
Preferences

Try uppercase "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 31 - 40 of about 146,000 for (anion exchanger) and (DNA or RNA or nucleic acid) and bead. (0.13 seconds)

Purification of plasmids by triplex affinity interaction ...

Chromosomal **DNA** fragments and **RNA** are especially difficult to separate from plasmids due to Fractions collected were analyzed by **anion exchange** HPLC. ...
nar.oxfordjournals.org/cgi/content/full/26/19/4524 - [Similar pages](#)

[PDF] 4.6.3 Applications; 4.6.3.6 Pre-purification and recovery of ...

File Format: PDF/Adobe Acrobat

to glass **beads**. removal of protein and small. **RNA** from **DNA**; removal of ... Separation range of solid-phase extraction on **anion-exchange** basis. ...
www.springerlink.com/index/mxlymygtk9dlvtm.pdf - [Similar pages](#)

[PDF] A new hybridocytochemical method based on mercurated **nucleic acid** ...

File Format: PDF/Adobe Acrobat

tography of mercurated **DNA** and **RNA**, 400 gg calf thymus **DNA**. respectively yeast **RNA** was Simpson RB (1967) Kinetics of **anion exchange** between methyl ...
www.springerlink.com/index/P1R412L7324V85Q8.pdf - [Similar pages](#)

USB - Product - PrepEase® Giga Plasmid Kit

The plasmid **DNA** becomes bound to the **anion-exchange** resin and is then eluted ... the basis for the entire line of USB **nucleic acid** purification products. ...
www.usbcorporation.com/category.asp?cat=176&id=78720&special=203 - 18k -
[Cached](#) - [Similar pages](#)

Quick, Clean Plasmid Purification: From Mini To Giga - Biocompare ...

Simple protocols and **anion-exchange** resin allow you to purify plasmid **DNA** at a ... create cleared cell lysate with minimal genomic **DNA** and **RNA** contaminants. ...
www.biocompare.com/featurearticle.asp?articleid=691 - 44k - [Cached](#) - [Similar pages](#)

DNA Purification - New Technologies - Biocompare Buyer's Guide

Jan 15 2007 - Norgen's innovative **RNA/DNA/Protein** Purification Kit is a ... but the isolated **DNA** is as pure as **DNA** obtained by **anion exchange** columns. ...
www.biocompare.com/archive.asp?headerid=1403&contenttypeid=11&pagetypeid=7 - 64k -
[Cached](#) - [Similar pages](#)
[[More results from www.biocompare.com](#)]

[PDF] Peptide **nucleic acids** on microarrays and other biosensors

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The hybridization of **DNA** or **RNA** targets to PNA-probes cleotide analogs by **anion-exchange** chromatography at high pH. Anal. Biochem. 235, 239-241 ...
www.dkfz.de/funct_genome/PDF-Files/TrendBiotech-22-2004-617.pdf - [Similar pages](#)

[PDF] Mobius 1000 Plasmid Kits for convenient isolation of ultrapure ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

capacity **anion exchange** support comprised. of porous methacrylate **beads** of ... teins, **RNA** and single stranded **DNA**. Plasmid **DNA** is then eluted with high salt ...
www.emdbiosciences.com/docs/NDIS/inno11-000.pdf - [Similar pages](#)

BIOS 311 Study Guide

Anion exchange. Prepare for creating and running a salt gradient for ... Other absorbing substances present, such as **DNA** and **RNA** in crude homogenates ...

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [details]
The "AND" operator is unnecessary -- we include all search terms by default. [details]

Scholar All articles - Recent articles Results 1 - 10 of about 2,360 for (cleaving or cleavable or cleave) and

All Results

J Monforte

D Pollart

T Shaler

C Becker

N Kameda

Two-step affinity chromatography. Model systems and an example using biotin-
avidin binding and a ... - all 6 versions »

WC Lin, TH Morton - The Journal of Organic Chemistry, 1991 - pubs.acs.org
... Using Biotin-Avidin **Binding** and a Fluoridolyzable **Linker** ... pair of sequential
step:specific **binding** of a ... specific **cleaving** agent to sever the tether that is ...
Cited by 1 - [Related Articles](#) - [Web Search](#)

Cleavable labels for use in binding assays - all 2 versions »

N Kameda, GL Rowley - US Patent 4,780,421, 1988 - Google Patents
... ie, wherein thecleavablebond conjugates the **linker** to one ... to obtain a solubilized
complex, **cleaving** the detectable ... at least one bond **cleavable** under conditions ...
Cited by 11 - [Related Articles](#) - [Web Search](#)

Methods for detecting a plurality of analytes by chromatography

A Chenna, TJ Matray, VS Hernandez, H Hooper, S ... - 2003 - freepatentsonline.com
... the analyte of interest such as a specific **binding** pair member ... a solution that contains
a tagged probe with a **cleavable linker** or a **cleavage**-inducing moiety ...
Cached - [Web Search](#)

Tag cleavage for detection of nucleic acids

S Singh, EF Ullman, BI Rowland - 2003 - freepatentsonline.com
... [0020] Similarly, the tag through the **cleavable linker** may be ... of the **cleavable** linkage,
the **cleavable** linkage may ... where the probe can undergo **cleavage** in the ...
Cached - [Web Search](#)

Multiplexed analysis by chromatographic separation of molecular tags - all 3
versions »

A Chenna, T Matray, V Hernandez, H Hooper, S Singh - 2003 - freepatentsonline.com
... 2 illustrates the use of a symmetrical bis-amino alcohol **linker** as the ... produces an
active species that is capable of **cleaving** a **cleavable** linkage, preferably ...
Cached - [Web Search](#)

C-terminal opening mimics' inside-out'activation of integrin alpha 5 bold beta - all 8
versions »

J Takagi, HP Erickson, TA Springer - Nature Structural Biology, 2001 - nature.com
... site was expressed and compared with the **cleavable** clasped version ... 5 and 1 extracellular
sequences, a TEV **cleavage** site with flanking **linker** segments and ...
Cited by 116 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Detection of nucleic acid sequences by cleavage and separation of tag-containing
structures - all 3 versions »

A Chenna, V Xiao, S Singh - 2004 - freepatentsonline.com
... attached to (N).sub.k by a phosphate **linker**. ... The **cleavage** or exchange of electrophoretic
probe (222) causes ... moiety can be adjacent to the **cleavable** linkage, L ...
Cached - [Web Search](#)